	Application No.	Applicant(s)
Notice of Allowshills	10/647,719	MCCAFFREY ET AL.
Notice of Allowability	Examiner	Art Unit
	Que T. Le	2878
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject to	plication. If not included not will be mailed in due course. THIS
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-25</u> .		•
3. \boxtimes The drawings filed on <u>25 August 2003</u> are accepted by the	Examiner.	
 4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		complying with the requirements
5. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give		
6. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the state of the property of the state of the property of the state of the property of th	son's Patent Drawing Review (PTO- s Amendment / Comment or in the Constant of the Constant of the drawing should be written on the d	. Office action of ngs in the front (not the back) of
7. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	nust be submitted. Note the AL MATERIAL.
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Da 08), 7. ☒ Examiner's Amenda	te
		Que T. Le Primary Examiner

Application/Control Number: 10/647,719

Art Unit: 2878

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

In claim 5, on line 1, "prism" has been changed to "prisms".

The following is an examiner's statement of reasons for allowance: The prior art fails to teach an electronic imaging system, among other features, comprising a sensor with a first color region, a second color region, and a third color region; and a prism system comprising a first prism with a first index of refraction overlying the first color region to direct light of first color to the first color region; a second prism with a second index of refraction overlying the second region for directing light of second color to the second color region; and a third prism with third index of refraction overlying the third color region for directing light of third color to the third color region. The prior art also fails to teach a method to form an electronic imaging system comprising the steps of forming a plurality of light sensors on a semiconductor wafer; and forming a plurality of prisms overlying the sensors wherein each prism having an index of refraction, a height and overlying one of the sensors for directing light of a color to the associated sensor.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Art Unit: 2878

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

I) Ichihara et al 4,926,249 disclose a color image reader system having a plurality of prisms.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Que T. Le whose telephone number is (571) 272-2438.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David P. Porta, can be reached on (571) 272-2444. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Que T. Le

Primary Examiner